























Drawing NB	Section	Inner Diameter	Width*Length	Kg/m	Extruder Tonnage
YLG0B-32		Φ 31	51*45	4.13	2750T
YLG0B-45		Φ 44	58*65	5.24	3150T
YLG0B-52		Φ 51.4	59*74	5.312	3150T
LYL-168		Φ 51.4	72*72	6.952	3150T
LYL-169		Φ 62.8	83*88	9.101	3150T
YLG0B-63		Φ 62.8	72*88	7.367	3600T
YLG0B-75		Φ 74.2	83*100	8.461	3600T
LYL-170		Φ 74.2	95*100	10.608	3600T
YLG0B-83		Φ 82.5	91*109	9.106	3600T
LYL-171		Φ 82.5	103*109	11.139	3600T
LYL-172		Φ 91	109*117	12.133	3600T
YLG0B-92		Φ 91	105*120	12.214	3600T
TP-955-135		Φ 103	132*135	16.546	3600T
LYL-173		Φ 103.5	122*134	15.236	3600T
YLG0B-105		Φ 103.5	116*134	14.78	3600T

Drawing NB	Section	Inner Diameter	Width*Length	Kg/m	Extruder Tonnage
TP-955-152		Φ 119	151*152	19.060	3600T
LYL-174		Φ 123.5	142*156	19.297	3600T
YLG0B-125		Φ 123.5	140*156	19.588	3600T
YLG0B-140		Φ 137.5	152*172.5	21.435	3600T
LYL-175		Φ 137.5	152*173	21.701	3600T
TP-955-172		Φ 139	172*169	21.233	3600T
LYL-176		Φ 157	174*198	27.793	3600T
YLG0B-160		Φ 158	177*198	29.83	7500T 600*420
TP-955		Φ 159	191*191	24.099	3600T
LYL-145		Φ 161	190*224	51.95	7500T 600*420
TP-955-219		Φ 178	209*219	32.493	7500T 600*420
LYL-177		Φ 186.5	206*232	38.496	5500T 600*360
LYL-004		Φ 187	166*230	36.397	7500T 600*420
YLG0B-190		Φ 187	207*231	35.546	7500T 600*420
LYL-185		Φ 195	220*246	41.643	7500T 600*420

Drawing NB	Section	Inner Diameter	Width*Length	Kg/m	Extruder Tonnage
LYL-178		Φ 206	226*257	44.778	5500T 600*360
LYL-005		Φ 207	178*255	42.761	7500T 600*420
YLG0B-210		Φ 207	227*256	39.388	7500T 600*420
TP-955-250		Φ 209	241*250	36.333	12500T 780*420
LYL-149		Φ 230	266*280	44.604	7500T 600*420
ZWGYC-119		Φ 232	266*289	61.46	7500T 600*420
LYL-090		Φ 235	261*300	63.252	7500T 600*420
LYL-072		Φ 235	258*292	52.375	7500T 600*420
LYL-047		Φ 236	260*291	58.252	7500T 600*420
LYL-006		Φ 236	208*290	56.333	7500T 600*420
LYL-091		Φ 256	326*330	73.074	7500T 780*420
ZWGYC-118		Φ 262	306*324	75.972	7500T 780*420
LYL-071		Φ 263	292*322	63.952	7500T 600*420
LYL-164		Φ 263	294*330	74.033	7500T 780*420
LYL-048		Φ 266	294*330	70.524	7500T 600*420

Drawing NB	Section	Inner Diameter	Width*Length	Kg/m	Extruder Tonnage
LYL-007		Φ 266	236*320	71.079	7500T 600*420
LYL-092		Φ 276	319*330	70.467	7500T 600*420
LYL-049		Φ 292	324*352	77.175	12500T 780*600
LYL-044		Φ 293	363*390	363*390	12500T 780*420
LYL-128		Φ 293	335*354	90.971	12500T 780*600
LYL-165		Φ 293	350*460	97.962	12500T 780*600
LYL-131		Φ 295	340*340	52.953	12500T 780*600
TP-955-353		Φ 298	356*353	86.24	7500T 780*420
LYL-163		Φ 325	377*395	79.488	12500T 780*420
TP-955-404		Φ 338	404*415	130.07	12500T 780*600
LYL-046		Φ 342	380*408	99.958	12500T 780*600
LYL-043		Φ 343	418*440	128.378	12500T 780*600
LYL-129		Φ 343	385*410	121.127	12500T 780*600
LYL-166		Φ 343	410*460	123.716	12500T 780*600
LYL-167		Φ 391	480*516	167.625	12500T 960*600

Drawing NB	Section	Inner Diameter	Width*Length	Kg/m	Extruder Tonnage
LYL-130		Φ 392	466*520	149. 937	12500T 780*600
LYL-097		Φ 392	438*464	106. 727	12500T 780*600
LYY-001		Φ -	122*176	31. 894	5500T 600*360
LYY-002		Φ -	115*146	23. 813	5500T 600*360
LYL-146		Φ 315	280*280	38. 654	7500T 600*420
ZWGYC-2864		Φ 159	187*193	27. 475	3600T
ZWGYC-1210		Φ 172. 1	200*211	36. 186	9000T 780*420
YLA0E140		Φ 136	178*157	26. 259	7500T
YLA0E190		Φ 185	232*212	38. 66	7500T
YLA0E160		Φ 156	200*179	29. 395	7500T
YLA0E210		Φ 204	255*235	46. 889	12500T
YLA0E125		Φ 121	157*142	20. 26	3600T
LYL-IAAP-145		Φ 205	177*143	25. 32	7500T 440*260
LYL-IAAP-75		Φ 121	102*79	10. 535	3600T
ZWGYC-3832		Φ 117	100*100	5. 971	2750T